F4PDF-C



7-16 DIN Female for 1/2 in FSJ4-50B cable

Product Classification

Brand HELIAX®

Product Type Wireless and radiating connector

General Specifications

Interface 7-16 DIN Female

Body StyleStraightMounting AngleStraight

Ordering Note CommScope® standard product (Global)

Electrical Specifications

Connector Impedance 50 ohm

Operating Frequency Band 0 – 7500 MHz Average Power at Frequency 1.0 kW @ 900 MHz

Cable Impedance 50 ohm

3rd Order IMD, typical -120 dBm @ 910 MHz 3rd Order IMD Test Method Two +43 dBm carriers


RF Operating Voltage, maximum (vrms) 884.00 V dc Test Voltage 2500 V

Outer Contact Resistance, maximum 1.50 mOhm
Inner Contact Resistance, maximum 0.80 mOhm
Insulation Resistance, minimum 5000 MOhm
Peak Power, maximum 15.60 kW
Insertion Loss, typical 0.05 dB
Shielding Effectiveness -110 dB

page 1 of 4 October 10, 2019



Outline Drawing



Mechanical Specifications

Outer Contact Attachment Method Self-flare **Inner Contact Attachment Method** Captivated **Outer Contact Plating** Trimetal **Inner Contact Plating** Silver **Attachment Durability** 25 cycles **Interface Durability** 500 cycles Interface Durability Method IEC 61169-4:9.5 **Connector Retention Tensile Force** 890 N | 200 lbf **Connector Retention Torque** 5.42 N-m | 48.00 in lb

Insertion Force 200.17 N | 45.00 lbf
Insertion Force Method IEC 61169-1:15.2.4

Pressurizable No

Dimensions

Nominal Size 1/2 in

page 2 of 4 October 10, 2019



F4PDF-C

 Diameter
 28.96 mm | 1.14 in

 Length
 50.01 mm | 1.97 in

 Weight
 150.00 g | 0.33 lb

Environmental Specifications

Operating Temperature-55 °C to +85 °C (-67 °F to +185 °F)Storage Temperature-55 °C to +85 °C (-67 °F to +185 °F)

Immersion Depth1 mImmersion Test MatingMated

Immersion Test Method IEC 60529:2001, IP68

Water Jetting Test Mating Mated

Water Jetting Test Method IEC 60529:2001, IP66

Moisture Resistance Test Method MIL-STD-202F, Method 106F

Thermal Shock Test Method MIL-STD-202, Method 107, Test Condition A-1, Low Temperature -55 °C

MIL-STD-202F, Method 213B, Test Condition C

Vibration Test MethodMIL-STD-202F, Method 204D, Test Condition BCorrosion Test MethodMIL-STD-1344A, Method 1001.1, Test Condition A

Standard Conditions

Mechanical Shock Test Method

Attenuation, Ambient Temperature $20 \, ^{\circ}\text{C} \mid 68 \, ^{\circ}\text{F}$ Average Power, Ambient Temperature $40 \, ^{\circ}\text{C} \mid 104 \, ^{\circ}\text{F}$

Return Loss/VSWR

Frequency Band	VSWR	Return Loss (dB)
0–1000 MHz	1.02	39.00
1000–2000 MHz	1.03	38.00
2000–2300 MHz	1.03	37.00
2300–4000 MHz	1.12	25.00

Regulatory Compliance/Certifications

Agency Classification

RoHS 2011/65/EU Compliant by Exemption

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

China RoHS SJ/T 11364-2014 Above Maximum Concentration Value (MCV)







^{*} Footnotes



F4PDF-C

Immersion Depth Immersion at specified depth for 24 hours

Insertion Loss, typical 0.05√freq (GHz) (not applicable for elliptical waveguide)

page 4 of 4 October 10, 2019