158F7NF



Type N Female EZfit® for 1-5/8 in FXL-1873 and AVA7-50 cable

Product Classification

Brand EZfit®

Product TypeWireless and radiating connector

General Specifications

InterfaceN FemaleBody StyleStraightMounting AngleStraight

Ordering Note CommScope® non-standard product

Electrical Specifications

Connector Impedance 50 ohm

Operating Frequency Band0 - 2700 MHzAverage Power at Frequency0.6 kW @ 900 MHz

Cable Impedance 50 ohm

3rd Order IMD, typical -116 dBm @ 1800 MHz
3rd Order IMD Test Method Two +43 dBm carriers

RF Operating Voltage, maximum (vrms) 707.00 V dc Test Voltage 2000 V

Outer Contact Resistance, maximum 2.00 mOhm

Inner Contact Resistance, maximum 5000 MOhm

Insulation Resistance, minimum 5000 MOhm

Peak Power, maximum 10.00 kW

Insertion Loss, typical 0.05 dB


Shielding Effectiveness -130 dB

October 22, 2019

page 1 of 4



Outline Drawing



Mechanical Specifications

Outer Contact Attachment MethodClampInner Contact Attachment MethodCaptivatedOuter Contact PlatingTrimetalInner Contact PlatingSilverAttachment Durability25 cyclesInterface Durability500 cycles

Interface Durability MethodIEC 61169-16:9.5Connector Retention Tensile Force2224 N | 500 lbf

Connector Retention Torque13.56 N-m120.00 in lbInsertion Force66.72 N15.00 lbfInsertion Force MethodMIL-C-39012C-3.12, 4.6.9

Pressurizable No

Dimensions

Nominal Size 1-5/8 in

 Diameter
 63.10 mm | 2.48 in

 Length
 70.00 mm | 2.76 in

 Weight
 536.90 g | 1.18 lb

page 2 of 4 October 22, 2019



158EZNF

Environmental Specifications

Operating Temperature $-40 \,^{\circ}\text{C}$ to $+85 \,^{\circ}\text{C}$ (-40 $^{\circ}\text{F}$ to $+185 \,^{\circ}\text{F}$)

Storage Temperature $-55 \,^{\circ}\text{C}$ to $+85 \,^{\circ}\text{C}$ (-67 $^{\circ}\text{F}$ to $+185 \,^{\circ}\text{F}$)

Immersion Depth1 mImmersion Test MatingMated

Immersion Test Method IEC 60529:2001, IP68

Water Jetting Test Mating Mated

Water Jetting Test Method IEC 60529:2001, IP66

Moisture Resistance Test Method MIL-STD-202F, Method 106F

Mechanical Shock Test Method MIL-STD-202F, Method 213B, Test Condition C

Thermal Shock Test Method MIL-STD-202F, Method 107G, Test Condition A-1, Low Temperature -55 °C

Vibration Test Method IEC 60068-2-6

Corrosion Test Method MIL-STD-1344A, Method 1001.1, Test Condition A

Standard Conditions

Attenuation, Ambient Temperature $20 \,^{\circ}\text{C} \mid 68 \,^{\circ}\text{F}$ Average Power, Ambient Temperature $40 \,^{\circ}\text{C} \mid 104 \,^{\circ}\text{F}$

Return Loss/VSWR

Frequency Band	VSWR	Return Loss (dB)
45-400 MHz	1.02	41.50
401–805 MHz	1.03	37.60
806–960 MHz	1.03	36.90
961–1709 MHz	1.03	35.70
1710-2170 MHz	1.04	33.50
2170-2399 MHz	1.05	31.70
2400-2700 MHz	1.06	30.80

Regulatory Compliance/Certifications

Agency Classification

RoHS 2011/65/EU Compliant by Exemption

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

China RoHS SJ/T 11364-2014 Above Maximum Concentration Value (MCV)







* Footnotes

Immersion Depth Immersion at specified depth for 24 hours

page 3 of 4 October 22, 2019



158EZNF

Insertion Loss, typical 0.05√freq (GHz) (not applicable for elliptical waveguide)

page 4 of 4 October 22, 2019