TNC Female for CNT-240 braided cable



Product Classification

Brand CNT®

Product TypeBraided cable connector

General Specifications

InterfaceTNC FemaleBody StyleStraight


Electrical Specifications

Operating Frequency Band 0 - 6000 MHz
Average Power at Frequency 260.0 W @ 900 MHz

Cable Impedance 50 ohm **Connector Impedance** 50 ohm RF Operating Voltage, maximum (vrms) 500.00 V dc Test Voltage 1500 V **Outer Contact Resistance, maximum** 0.40 mOhm Inner Contact Resistance, maximum 1.50 mOhm 5000 MOhm Insulation Resistance, minimum Peak Power, maximum 5.00 kW 0.05 dB Insertion Loss, typical

> page 1 of 3 November 12, 2019

Outline Drawing



Mechanical Specifications

Outer Contact Attachment Method Clamp **Outer Contact Plating** Trimetal **Inner Contact Plating** Gold **Inner Contact Attachment Method** Captivated Interface Durability 500 cycles Interface Durability Method IEC 61169-17:9.5 134 N | 30 lbf **Connector Retention Tensile Force Connector Retention Torque** 0.23 N-m | 0.17 ft lb Insertion Force 15.00 N | 3.37 lbf **Insertion Force Method** IEC 61169-17:9.3.5 Pressurizable No

Dimensions

 Nominal Size
 0.240 in

 Diameter
 12.60 mm | 0.50 in

 Length
 34.36 mm | 1.35 in

 Weight
 22.60 g | 0.05 lb

 Width
 12.60 mm | 0.50 in

page 2 of 3 November 12, 2019



240PTF-C

Environmental Specifications

Operating Temperature $-40 \,^{\circ}\text{C}$ to $+85 \,^{\circ}\text{C}$ (-40 °F to $+185 \,^{\circ}\text{F}$)

Storage Temperature $-65 \,^{\circ}\text{C}$ to $+125 \,^{\circ}\text{C}$ (-85 °F to $+257 \,^{\circ}\text{F}$)

Immersion Depth1 mImmersion Test MatingMated

Immersion Test MethodIEC 60529:2001, IP68Mechanical Shock Test MethodIEC 60068-2-27Climatic Sequence Test MethodIEC 60068-1Damp Heat Steady State Test MethodIEC 60068-2-3Thermal Shock Test MethodIEC 60068-2-14Vibration Test MethodIEC 60068-2-6Corrosion Test MethodIEC 60068-2-11

Standard Conditions

Attenuation, Ambient Temperature $20 \,^{\circ}\text{C}$ | $68 \,^{\circ}\text{F}$ Average Power, Ambient Temperature $40 \,^{\circ}\text{C}$ | $104 \,^{\circ}\text{F}$ Average Power, Inner Conductor Temperature $100 \,^{\circ}\text{C}$ | $212 \,^{\circ}\text{F}$

Return Loss/VSWR

Frequency Band	VSWR	Return Loss (dB)
0–3000 MHz	1.05	32.30
3000-6000 MHz	1.22	20.10

Regulatory Compliance/Certifications

Agency Classification

RoHS 2011/65/EU Compliant by Exemption

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

China RoHS SJ/T 11364-2014 Above Maximum Concentration Value (MCV)







* Footnotes

Immersion Depth Immersion at specified depth for 24 hours

Insertion Loss, typical 0.05√freq (GHz) (not applicable for elliptical waveguide)

page 3 of 3 November 12, 2019

