BNC Male for CNT-300 braided cable



Product Classification

Brand CNT®

Product TypeBraided cable connector

General Specifications

InterfaceBNC MaleBody StyleRight angle

Electrical Specifications

Operating Frequency Band 0 – 6000 MHz

Average Power at Frequency 360.0 W @ 900 MHz


Cable Impedance50 ohmConnector Impedance50 ohmRF Operating Voltage, maximum (vrms)500.00 Vdc Test Voltage1500 VOuter Contact Resistance, maximum1.00 mOhmInner Contact Resistance, maximum2.50 mOhm

Inner Contact Resistance, maximum2.50 mOhmInsulation Resistance, minimum5000 MOhmPeak Power, maximum5.00 kWInsertion Loss, typical0.05 dB

November 27, 2019

page 1 of 3

Outline Drawing



Mechanical Specifications

Outer Contact Attachment Method Crimp **Outer Contact Plating** Trimetal **Inner Contact Plating** Gold

Inner Contact Attachment Method Solder **Interface Durability** 500 cycles

Interface Durability Method IEC 61169-8:9.5 220 N | 49 lbf **Connector Retention Tensile Force**

Connector Retention Torque 0.45 N-m | 0.33 ft lb Insertion Force 15.00 N | 3.37 lbf

IEC 61169-8:9.3.5 **Insertion Force Method** No

Pressurizable

Coupling Nut Proof Torque 0.25 N-m | 0.18 ft lb **Coupling Nut Proof Torque Method** IEC 61169-8:9.3.6

Coupling Nut Retention Force 445.00 N | 100.04 lbf **Coupling Nut Retention Force Method** IEC 61169-8:9.3.11

Dimensions

Nominal Size 0.300 in

> page 2 of 3 November 27, 2019



300PBM-CR

 Diameter
 14.00 mm | 0.55 in

 Length
 35.36 mm | 1.39 in

 Weight
 15.33 g | 0.03 lb

 Width
 14.00 mm | 0.55 in

Environmental Specifications

Operating Temperature $-40 \,^{\circ}\text{C}$ to $+85 \,^{\circ}\text{C}$ (-40 °F to $+185 \,^{\circ}\text{F}$)

Storage Temperature $-65 \,^{\circ}\text{C}$ to $+125 \,^{\circ}\text{C}$ (-85 °F to $+257 \,^{\circ}\text{F}$)

Water Jetting Test Mating Mated

Water Jetting Test Method

IEC 60529:2001, IP65

Mechanical Shock Test Method

IEC 60068-2-27

Climatic Sequence Test Method

Damp Heat Steady State Test Method

IEC 60068-1

IEC 60068-2-3

Thermal Shock Test Method

IEC 60068-2-14

Vibration Test Method

IEC 60068-2-6

Corrosion Test Method

IEC 60068-2-11

Standard Conditions

Attenuation, Ambient Temperature $20 \,^{\circ}\text{C}$ | $68 \,^{\circ}\text{F}$ Average Power, Ambient Temperature $40 \,^{\circ}\text{C}$ | $104 \,^{\circ}\text{F}$ Average Power, Inner Conductor Temperature $100 \,^{\circ}\text{C}$ | $212 \,^{\circ}\text{F}$

Return Loss/VSW/R

 Frequency Band
 VSWR
 Return Loss (dB)

 0-2200 MHz
 1.07
 29.18

 2200-2700 MHz
 1.08
 27.89

Regulatory Compliance/Certifications

Agency Classification

RoHS 2011/65/EU Compliant by Exemption

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

China RoHS SJ/T 11364-2014 Above Maximum Concentration Value (MCV)







* Footnotes

Insertion Loss, typical 0.05√freq (GHz) (not applicable for elliptical waveguide)

page 3 of 3 November 27, 2019

